



INDEX MAPS.

T. 27N, R. 4E. 2nd Mer.



T. 28N, R. 4E. 2nd Mer.



The figures on the lines refer to the page.

Township Lines.
 Ch. 10: South Boundary. Var. 6. 00. E.
 East on the S. Boundary of Sec. 31

17.59 a Buckeye 10 in. dia.

30.27 set of sec. post from which

a Buckeye 6 in. dia. bears N 75° W 13 Ms. dist. 8

a Sugar 7 " " " N 53° E 23 " "

60.85 a Bur Oak 13 " "

66.30 set post on right bank of Eel River from which

a Beech 20 in. dia. bears N 55° W 27 Ms. dist. 8

an Ironwood 3 " " " S 1° E 21 " "

69.14 set post on left bank of Eel River from which

an Elm 40 in. dia. bears N 10° W 33 Ms. dist. 8

a Buckeye 12 " " " N 85° E 47 " "

course S E.

76.27 set post cor. of sec. 31 & 32 from which

an Ironwood 5 in. dia. bears N 52° E 10 Ms. dist. 8

a Hackberry 12 " " " N 45° W 32 " "

East on the S. Boundary of Sec. 32

9.71 a Honey Locust 15 in. dia.

25.36 a B. Walnut 27 " "

40.00 set of sec. post from which

a Buckeye 9 in. dia. bears N 88° W 33 Ms. dist. 8

a Dr 10 " " " N 71° E 31 " "

61.56 a B. Walnut 24 " "

80.00 set post cor. of sec. 32 & 33 from which

an Elm 36 in. dia. bears N 43° W 15 Ms. dist. 8

a Buckeye 18 " " " N 56° E 16 " "

East on the S. Boundary of Sec. 33

20.24 a Bur Oak 16 in. dia.

40.00 set of sec. post from which

a W. Oak 12 in. dia. bears N 66° W 18 Ms. dist. 8

a Dr 15 " " " N 27° E 19 " "

59.33 a W. Oak 45 " "

T. 28 N., R. 4 E. 2^d Mer. Ind.^a
 Chas. Chas.

80.00 set post cor. of sec. 33 & 34 from which
 a B. Ark 5 in. dia. bears N 79° W 20 Vrs. dist. 4
 a Do 5 " " North 10 "

East on the S. Boundary of Sec. 34

13.70 a Stream 21 Vrs. wide course NW

31.88 set post on the West side of Indian Reservation
 from which

a Beech 10 in. dia. bears S 30° W 9 Vrs. dist. 2

a B. Ark 16 " " " N 70° W 13 " "

Land level 2^d rate. Timber Beech, Sugar &

Ark. Uls. Ironwood & Sugar

October 27, 1827 David Willis

Deputy Surveyor.

Random Line. Var. 5. 16. E.

East on S. Boundary of Sec. 34

From corner in S. Boundary of Sec. 34, in the
 West Boundary of Purchase.

8.12 set temp. q. sec. post

48.12 set temp. post for cor. of sec. 34 & 35

Rolling 2^d rate land. Timber Beech, Sugar,
 Ark, Walnut & Uls. Spice &

East on S. Boundary of Sec. 35

15.00 enter Swamp, NE

22.50 leave "

28.50 Road from Peew to Eel River, NE

40.00 set temp. q. sec. post

50.50 enter Swamp, N & S

58.50 leave "

80.00 set temp. post for cor. of sec. 35 & 36

Level 2^d rate land. Timber Ark, Elm, Maple,
 Oak, Beech, Gum & Uls. Spice, Willow &

East on S. Boundary of Sec. 36

T. 28 N., R. 4 E., T. 2 Mer. Ind.?
Chr. Cr?

17.70 an Indian trace, N.
40.00 set temp. gr. sec. post
80.00 set temp. post for cor. of T. 27 & 28 N., R. 4 & 5 E
Gently rolling 2. to land. Timber Elm, Ash,
Sugar, Beech, Lym, Oak, Maple & Uls.
Spice, Hawth.

Corrected Line.

Bearings at cor. of T. 27 & 28 N., R. 4 & 5 E
a W. Oak 30 in. dia. bears N 11 W 23 W. dist 18
a Beech 19 " " " S 84 E 33 " "
West on the S. Boundary of Sec. 36
21.45 a Beech 20 in. dia.
25.84 a Do 18 " "
40.00 set gr. sec. post from which
a Beech 12 in. dia. bears N 26 E 16 W. dist 9
a Do 20 " " " N 23 W 62 " "
41.06 a Beech 30 " "
46.21 a Do 20 " "
80.00 set post cor. of sec. 35 & 36 from which
a W. Oak 18 in. dia. bears North 22 W. dist 9
a double Maple 10 " " " N 69 W 26 " "

West on the S. Boundary of Sec. 35

1.54 a gray Ash 6 in. dia.
3.17 an Elmwood 8 " "
40.00 set gr. sec. post from which
a W. Oak 30 in. dia. bears N 69 W 46 W. dist 9
a Maple 12 " " " N 61 E 20 " "
41.28 a Hickory 8 " "
47.47 a W. Elm 38 " "
80.00 set post cor. of sec. 34 & 35 from which
a Sugar 30 in. dia. bears N 51 W 33 W. dist 9
a Hickory 4 " " " N 1 E 20 " "

West on the S. Boundary of Sec. 34

T. 28 N., R. 4 E. 2. Mer. Ind.

Chs. Ekr.

1.17 a W. Elm 22 in. dia.
 17.10 a Beech 20 " "
 30.00 a R. Elm 28 " "
 40.00 set of sec. post from which
 a Poplar 14 in. dia. bears N 12 E 14 W. dist. 2
 a Do 10 " " " N 48 W 20 " "
 41.01 a B. Ark 24 " "
 48.12 to post in S. Boundary of Sec. 34 in West
 Boundary of Purchase. Dec. 27, 1838

East Boundary. Var. 5.55. E.
 North on the E. Boundary of Sec. 36
 2.07 a Red Oak 30 in. dia.
 9.95 a Hickory 18 " "
 20.50 a Sugar 36 " "
 40.00 set of sec. post from which
 a Sugar 5 in. dia. bears S 22 W 7 W. dist. 4
 a cherry 3 " " " N 60 E 25 " "
 51.00 a Road, SE
 54.88 a Beech 20 in. dia.
 70.04 a Do 22 " "
 80.00 set post cor. of sec. 25 & 36 from which
 a Beech 14 in. dia. bears S 16 W 47 W. dist. 2
 a Do 26 " " " N 33 W 44 " "
 Rolling State land. Timber Beech, Ark, Sugar,
 V. Wyr. Spruce, Hem, Sugar &c.

North on the E. Boundary of Sec. 25
 8.43 a W. Elm 30 in. dia.
 21.54 a Do 30 " "
 30.13 a Beech 20 " "
 35.00 enter Willow Pond
 40.00 set of sec. post from which
 a W. Elm 12 in. dia. bears S 32 E 2 W. dist. 2
 a sup. Ark 10 " " " N 72 W 14 " "
 40.33 a Sycamore 24 " "

Acamp

T. 28 N., R. 4 E., 2^d Mer. Ind.Ch. 1st

54.08 a Beech 24 in. dia.

63.11 a Do 22 " "

71.42 a Do 28 " "

80.00 set post cor. of sect. 24 & 25 from which
 a double Buckeye 24 in. dia. bears S 29° W 57' 1/2 in. dist. 9
 a Beech 19 " " " N 74° W 30 " "
 Level 1st rate land. Timber Beech, Sugar, Ash,
 Elm, Buckeye, Walnut & Upr. Spice, Pawpaw &c.

North on the E. Boundary of Sec. 24

11.10 a Beech 24 in. dia.

10.55 an Indian trace, NE

21.90 a W. Elm 10 in. dia.

30.35 a Hickory 10 " "

37.11 an Elm 28 " "

40.00 ditto of sec. post from which

a Hackberry 9 in. dia. bears S 28° W 17' 1/2 in. dist. 9

a Do 4 " " " N 26° W 34 " "

45.13 set post on left bank of Owl River from which

a Sycamore 12 in. dia. bears S 39° W 36' 1/2 in. dist. 9

a Sugar 6 " " " S 62° E 66 " " "

a Sycamore 12 " " " S 15° W 75 " "

Gently rolling 2nd rate land. Timber same as last described.

Measured over Owl River to Lynn corner tree
 on right bank in Range line of former surveys
 N 42° E 5.50 Chs. January 5. 1839

Arthur St. Clair Vance

Deputy Surveyor.

Bearings for corner of Sec. 12, T. 28 N., R. 4 E.

a W. Oak 26 in. dia. bears N 1 1/2° W 21' 1/2 in. dist. 9

a Maple 10 " " " S 34° E 7 " "

South on the E. Boundary of Sec. 12

0.40 enter stream 10 W. wide course S.

1.40 leave Do on same side, SW

T 28 N., R 4 E, 2^d Mer. Ind.

Chs. Lks.

- 3.11 cor. of sec. 6 & 7, T 28 N, R 5 E
 7.09 a Poplar 23 in. dia.
 13.40 a Stream 15 Ws. wide course E
 17.15 a Do 20 " " " SW
 24.70 a Do 20 " " " SE
 28.06 old q. sec. cor.
 40.00 set q. sec. post from which
 a Beech 12 in. dia. bears S 65° W 45 Ws. dist. 8,
 a B. Walnut 4 " " " N 51 3/4° W 35 " "
 67.91 old sec. cor. for Sec. 12 & 13
 80.00 set post cor. of sec. 12 & 13 from which
 a Bur Oak 10 in. dia. bears N 3° W 17 Ws. dist. 8,
 a W. Elm 15 " " " S 38 1/4° W 28 " "
 Tuesday, June 20. 1837

South on the E. Boundary of Sec. 13

- 3.75 cor. of sec. 7 & 18, T 28 N, R 5 E.
 6.77 a Beech 10 in. dia.
 27.90 old q. sec. cor.
 40.00 set q. sec. post from which
 a Beech 12 in. dia. bears N 31 1/4° W 15 Ws. dist. 8,
 a Do 7 " " " S 35 1/3° W 22 " "
 46.06 a Hickory 9 " "
 67.93 old section cor.
 71.53 a Stream 25 Ws. wide course SW
 80.00 set post cor. of sec. 13 & 24 from which
 a Hickory 10 in. dia. bears N 60° W 26 Ws. dist. 8,
 a Hornbeam 6 " " " S 44 1/2° W 33 " "

South on the E. Boundary of Sec. 24

- 4.45 cor. of sec. 18 & 19, T 28 N, R 5 E
 28.00 old q. sec. corner
 34.56 a Lym - in. dia. corner tree on right bank of Cel R.

North on the E. Boundary of Sec. 1

- 9.50 a Stream 15 Ws. wide course SW. & up in same

T. 28 N., R. 4 E. 2^d Mer. Ind^a

Chs. 1st

- 11.89 to old sec. cor. in stream
- 12.50 leave stream, coming out on right bank
- 13.30 same stream 20th wide course E.
- 23.89 a Beech 12 in. dia.
- 27.40 a stream 12th wide course SW
- 34.60 do 12 " " " E
- 35.75 do 15 " " " W. of S.
- 36.75 do 15 " " " E
- 40.00 set of sec. post from which
 - a Burr Oak 12 in. dia. bears S 22° W 22 1/2th 1st dist. 18
 - a Beech 12 " " " N 48° W 48 " "
- 51.94 old of sec. cor.
- 91.93 to Township corner.

Wednesday, June 21. 1837.

Jeremiah Smith
Deputy Surveyor.

North Boundary. Var. 7. 15. E.

- Bearings at cor. of T. 28 & 29 N., R. 4 & 5 E.
- a Beech 16 in. dia. bears S 22° W 17th 1st dist. 18
- a do 7 " " " N 53° W 45 " "

West on the S. Boundary of Sec. 36, T. 29 N., R. 4 E

- 40.00 set of sec. post from which
 - a B. Oak 10 in. dia. bears N 4° E 18th 1st dist. 18
 - a W. Ash 12 " " " N 68° W 40 " "

60.46 a Sugar 10 " "

80.00 set post cor. of sec. 35 & 36 from which

- a Beech 10 in. dia. bears N 52 1/2° W 28th 1st dist. 18
- a do 15 " " " N 69 1/2° E 59 " "
- Land level & T. rate. Timber Beech, Sugar, Ash, Elm, Oak & B. Walnut. Wp. much same

West on the S. Boundary of Sec. 35, T. 29 N., R. 4 E

- 15.84 a Beech 8 in. dia.
- 40.00 set of sec. post from which
 - a Beech 25 in. dia. bears N 15° E 12th 1st dist. 18

T. 28 N., R. 4 E. 2^d Mer. Ind.ⁿ
Chr. Spr.

a Beech 8 in. dia. bears N56°W47°W. dist.
 59.91 a W. Ash 8 "
 80.00 set post cor. of sec. 34 & 35 from which
 a Beech 14 in. dia. bears N21°W76°W. dist. 3
 a Do 15 " " " N84°W29 " "
 Land &c. same as last described.

West on the S. Boundary of Sec. 34, T29 N., R4 E.

23.52 a W. Oak 28 in. dia.
 39.50 a Brook 4 Ws. wide course S.
 40.00 set of sec. post from which
 a Beech 10 in. dia. bears N51°W26°W. dist. 8
 a Do 11 " " " N52½°E58 " "
 53.76 a B. Walnut 32 in. dia.
 76.50 a Run 3 Ws. wide course S.
 80.00 set post cor. of sec. 33 & 34 from which
 a Beech 8 in. dia. bears N16°W20°W. dist. 8
 a Sugar 20 " " " N79°E40 " "
 Land &c. same as last described

West on the S. Boundary of Sec. 33, T29 N., R4 E.

12.66 a W. Oak 28 in. dia.
 21.76 Intersect Reserve line 113.60 Chr. South of NW
 corner of Reserve, set post from which
 a W. Oak 10 in. dia. bears N29°W29½°W. dist. 8
 a Beech 20 " " " S82°E33 " "
 40.00 set of sec. post from which
 a W. Oak - in. dia. bears N47½°W60°W. dist. 8
 a B. Oak 30 " " " N30°E65 " "
 46.00 enter Swamp
 71.00 leave "
 80.00 set post cor. of sec. 32 & 33 from which
 an Elm 9 in. dia. bears N28°W27°W. dist. 8
 a W. Oak 6 " " " N38°E49 " "
 Land &c. same, Swamp excepted

T. 28 N., R. 4 E. 2^d Mer. Ind.^a
 Ch. 10th

West on the S. Boundary of Sec. 32, T29 N, R4 E
 20.04 a B. Oak 28 in. dia.

40.00 an Aspen 8 " " gr. sec. corner tree.

52.25 an Elm 8 " "

80.00 set post cor. of sec. 31 & 32 from which

a W. Oak 14 in. dia. bears N 50 E 54 Ws. dist. 8

a Do 14 " " " N 19 W 57 " "

Land rolling 1st rate. Timber Oak, Ash, Elm,

Beech & Uls. Sapapap, Beech & Grapevines

West on the S. Boundary of Sec. 31, T29 N, R4 E

40.00 set gr. sec. post from which

a W. Oak 18 in. dia. bears N 4 1/2 W 10 Ws. dist. 8

a Do 12 " " " N 47 E 40 " "

60.00 a Brook 8 Ws. wide course S.

68.76 Intersect W. Boundary 150 Ws. N. of temp. post -

set post at intersection cor. of T. 28 & 29 N, R. 3 & 4
 E. from which

a W. Oak 20 in. dia. bears S 77 W 11 Ws. dist. 8

a Do 25 " " " S 67 1/2 E 27 " "

Land rolling 2^d rate. Timber mostly Oak.

S. Sibley, D. S.

West Boundary. Var. 5th 55. E.

North on the E. Boundary of Sec. 36, T28 N, R3 E

19.96 a Cherry 15 in. dia.

40.00 set gr. sec. post from which

an Greenwood 6 in. dia. bears S 24 W 30 Ws. dist. 8

a Do 5 " " " N 54 W 21 " "

75.90 a Hickory 12 " "

80.00 set gr. sec. post cor. of sec. 25 & 36 from which

a Buckeye 7 in. dia. bears S 16 W 20 Ws. dist. 8

a Sugar 4 " " " N 41 W 23 " "

Land level 1st rate Bottom. Timber Sugar,

Walnut, Buckeye, Hackberry & Uls. Sugar
 & Spice

T. 28 N., R. 4 E. 2^d Mer. Ind.^aCh. 1stNorth on the E. Boundary of Sec. 25, T. 28 N., R. 3 E
32.89 a Beech 17 in. dia.40.00 set of sec. post from which
an Ironwood 6 in. dia. bears S 17° W 21 Ws. dist. 3
a B. Ark 15 " " " N 12° W 37 " "

70.77 a Bur Oak 10 " "

80.00 set post cor. of sec. 24 & 25 from which
a Beech 18 in. dia. bears S 43° W 16 Ws. dist. 3
a W. Oak 45 " " " N 12° W 23 " "Land rolling 2^d rate. Timber Ash, Sugar & Beech
Wgs. Ironwood, Spice & Sugar

North on the E. Boundary of Sec. 24, T. 28 N., R. 3 E

14.18 a Beech 18 in. dia.

40.00 set of sec. post from which
a Beech 12 in. dia. bears S 43° W 33 Ws. dist. 8
a W. Oak 29 " " " N 46° W 22 " "43.80 set post on the Boundary line from which
a Beech 30 in. dia. bears S 38° W 48 Ws. dist. 3
a B. Walnut 33 " " " S 78° W 41 " "Land rolling 2^d rate. Timber Beech, Poplar & Oak
Wgs. Ironwood, Sugar & Spice

April 10. 1828

David Hillis

Deputy Surveyor.

Began 3 Ch. 80 Ws. from of sec. corner on
East side of Sec. 24 at post standing in line
and at intersection with old Indian Boundary
line, thence Var. E. 45° E.

North on the E. Boundary of Sec. 24, T. 28 N., R. 3 E

62.70 a W. Oak 10 in. dia.

80.00 set post cor. of sec. 13 & 24 from which
a W. Ark 30 in. dia. bears S 72° W 27 Ws. dist. 8

391

T. 28 N., R. 4 E. 2. Mer. Ind.^a
Ch. Lk.

a Beech 30 in. dia. bears N44°W 62°W, dist.
Land gently rolling & T.^h rate. Timber Beech,
Ash, Sugar, Elm, Sycam. Upr. much same

North on the E. Boundary of Sec. 13, T. 28 N., R. 3 E.
22.80 an Elm 25 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. bears S29°W 27°W, dist. 8

a Do 10 " " " S86°W 50 " "

64.80 a Beech 8 " "

80.00 set post cor. of sec. 12 & 13 from which

a B. Oak 9 in. dia. bears S15°W 31°W, dist. 8

a Do 8 " " " N49°W 32 " "

Land &c. much same as last described.

North on the E. Boundary of Sec. 12, T. 28 N., R. 3 E.
22.93 a White wood 8 in. dia.

40.00 set of sec. post from which

an Elm 18 in. dia. bears S73°W 7°W, dist. 5

a W. Oak 20 " " " N34°W 42 " "

66.24 a Hickory 7 " "

80.00 set post cor. of sec. 1 & 12 from which

a Beech 20 in. dia. bears S45°W 47°W, dist. 8

a W. Oak 30 " " " N37°W 21 " "

Land &c. same as last described.

North on the E. Boundary of Sec. 1, T. 28 N., R. 3 E.
27.37 a W. Ash 8 in. dia.

40.00 set of sec. post from which

a W. Oak 7 in. dia. bears S35°W 35°W, dist. 8

a Do 9 " " " N58°W 44 " "

57.25 a W. Oak 28 " "

80.00 set temp. post for Township corner.

Land rolling & rather marshy in places.

Timber mostly Oak. Surveyed in 1834

by Sylvester Sibley, Dep. Surv.

T. 28 N., R. 4 E. 2^d Mer. Ind.^a

Elev. 510'

Subdivision. Var. 5th 40' E

North between Secs. 33 & 34

16.10 a Branch 15 lks. wide course NW. & enter Willow Swamp

20.00 leave Swamp

20.72 NW. Elm 12 in. dia.

40.00 set q. sec. post from which

a Beech 22 in. dia. bears S 35° W 30 lks. dist. &

NW. Oak 16 " " " N 20° E 23 " "

54.75 a Branch 3 lks. wide course NW

66.68 a Sugar 14 in. dia.

75.00 a Branch 6 lks. wide course W.

80.00 set post cor. of sec. 27, 28, 33 & 34 from which

a Hickory 12 in. dia. bears N 51° E 36 lks. dist. &

a W. Oak 12 " " " S 10° W 19 " "

Level 2^d rate land. Timber Beech, Oak, Sugar, Hickory, Elm & Upr. Spice, Oak, Sugar, Hickory, Ironwood &c.

East between Secs. 27 & 34

6.75 a Branch 3 lks. wide course SW

15.29 NW. Oak 15 in. dia.

31.87 Intersect W. Boundary of Indian Reserve and set post from which

a Beech 24 in. dia. bears S 65° W 22 lks. dist. &

a Do 18 " " " N 41° W 50 " "

Level 2^d rate land. Timber Beech, Ash, Sugar, Elm, Oak, Hickory &c. Upr. Spice, Ironwood, Sugar &c.

North between Secs. 27 & 28

22.52 a Sugar 22 in. dia.

23.00 a Branch 3 lks. wide course SW

34.00 a Do 4 " " " W

40.00 set q. sec. post from which

a Sugar 24 in. dia. bears N 88° E 7 lks. dist. &

T. 28 N., R. 4 E. 2. Mer. Ind. a

Ch. E. 10?

a Beech 22 in. dia. bears S43W26 Wks. dist.
 44.50 enter Swamp
 47.50 leave "
 67.20 a gray Ash 36 in. dia.
 80.00 set post cor. of sec. 21, 22, 27 & 28 from which
 a Beech 18 in. dia. bears S66W25 Wks. dist. &
 a Do 20 " " " N62E36 " "
 Level 2. rate land. Timber Beech, Oak, Ash,
 Sugar, Elm &c. Ulp. Ironwood, Sugar, Water-
 beech, Hickory &c.

East between Sec. 22 & 27

15.77 a Beech 22 in. dia.
 17.50 a Branch 8 Wks. wide course NNE
 31.73 Intersect W. Boundary of Indian Reserve
 10.36 Ch. S. of the NW. corner thereof, set
 post from which
 a W. Oak 3 in. dia. bears N28W14 Wks. dist. &
 a Buckeye 16 " " " S68W15 " "
 Level rich 2. rate land. Timber Ash, Sugar,
 Beech, Elm, Oak, Walnut, Buckeye &c.
 Ulp. Spice, Sugar &c.

North between Sec. 21 & 22

16.50 a W. Elm 24 in. dia.
 28.25 set post on left bank of Del River from which
 a W. Oak 16 in. dia. bears S31E12 Wks. dist. &
 a Sycamore 14 " " " S79W12 " "
 Level 2. rate land. Timber Elm, Beech, Ash,
 Oak &c. Ulp. Spice, Ash, Ironwood, Waterbeech &c.

North between Sec. 32 & 33

0.75 a Branch 6 Wks. wide course WNW
 27.34 a Sugar 6 in. dia.
 34.40 a Stream 10 Wks. wide course WSW
 40.00 set q. sec. post from which

T. 28 N., R. 4 E. 2^d Mer. Ind.^a
 Ch. Sp.

- a Buckeye 10 in. dia. bears S 69° W 7 lks. dist. &
 a Waterbeech 6 " " " N 73° E 14 " "
 61.39 a Buckeye 10 " "
 80.00 set post cor. of Sec. 28, 29, 32 & 33 from which
 a Sugar 3 in. dia. bears N 41° W 12 lks. dist. &
 a Do 4 " " " S 32° E 7 " "
 Level rich 1st rate land. Timber Oak, Walnut,
 Elm, Ash, Buckeye, Sugar, Hackberry &
 Upr. Ash, Sugar &c.

East in Random between Sec. 28 & 33

- 40.00 set temp. q. sec. post
 73.25 a Branch 6 lks. wide course N.
 75.75 a Do 4 " " " " " N 11° W.
 80.45 Intersect N. & S. line 55 lks. N. of post —
 First half mile level 1st rate, last half mile
 level 2^d rate land. Timber Oak, Beech, Walnut,
 Cherry, Elm &c. Upr. Spruce, Ironwood, Hickory,
 Ash, Sugar &c.

West Connected between Sec. 28 & 33

- 19.71 a Beech 12 in. dia. on true line
 40.22 set q. sec. post at aver. dist. from which
 a Sugar 4 in. dia. bears S 27° W 21 lks. dist. &
 a Do 6 " " " " " N 11° E 31 " "
 60.70 an Ironwood 10 in. dia. on true line
 80.45 to sec. cor.

North between Sec. 28 & 29

- 20.06 a Cherry 20 in. dia.
 40.00 set q. sec. post from which
 a Hickory 10 in. dia. bears N 40° E 16 lks. dist. &
 a Waterbeech 6 " " " " " S 42° W 32 " "
 63.23 a Buckeye 12 " "
 80.00 set post cor. of sec. 20, 21, 28 & 29 from which
 a Beech 16 in. dia. bears N 80° W 19 lks. dist. &

T. 28 N., R. 4 E. 2. Mer. Ind. A.
Ch. 2. 10.

an Ironwood 8 in. dia. bears S 76 E 9 W. dist.
 Level first & 2. rate land. Timber Walnut,
 Ash, Elm, Hickory, Beech, Buckeye, Oak &
 Upr. Ironwood, Ash, Sugar, Hawth, Pawpaw &

East on Random between Sec. 21 & 28

7.25 a Branch 10 Ws. wide course NW
 40.00 set temp. of sec. post

80.72 Intersect N & S. line 35 Ws. N. of post—

Part level, part rolling 2. rate land. Timber
 Beech, Ash, Elm, Oak, Walnut, Buckeye,
 Hackberry & Upr. Spice, Ash, Ironwood &

West Corrected between Sec. 21 & 28

19.77 a Buckeye 6 in. dia. on true line
 40.36 set of sec. post at aver. dist. from which
 a Hawth 6 in. dia. bears S 37 W 7 Ws. dist. &
 a Sugar 6 " " " N 29 E 39 " "
 59.74 an Ironwood 14 in. dia. on true line
 80.72 to sec. cor.

West between Sec. 20 & 29 on true line

17.70 a Beech 10 in. dia.
 31.40 set post on left bank of Cel River, cor. of
 frac. Sec. 20 & 29 from which
 a Hawth 4 in. dia. bears S 55 E 8 Ws. dist. &
 an Ironwood 3 " " " East 7 " "
 Level 2. rate land. Timber Ash, Elm,
 Beech, Oak, Walnut & Upr. Sugar, Iron-
 wood, Willow, Hawth &

North between Sec. 20 & 21

14.00 a Branch 10 Ws. wide course NW
 23.77 a Lym 14 in. dia.
 29.20 set post on left bank of Cel River from which
 a Hackberry 10 in. dia. bears N 87 E 19 Ws. dist. &

T. 28 N., R. 4 E. 2. Mer. Ind. a
Chr. Sho.

a Hackberry 14 in. dia. bears S42W21 Ws. dint.
 Rolling 2nd rate land. Timber Beech, Ash,
 Elm, Oak, Hickory, Sugar & Upr. Spice,
 Ash, Sugar, Elm &c.

North between Sec. 31 & 32

26.02 a W. Oak 30 in. dia.

31.00 cut E. bend of a Branch 4 Ws. wide course SSW

32.50 same Stream course W.

40.00 set gr. sec. post from which

a Gum 4 in. dia. bears N2E22 Ws. dint. &

a Beech 16 " " " S29W23 " "

42.25 a dead running stream 15 Ws. wide course WSW.

53.36 set post on left bank of Owl River from which

a Buckeye 6 in. dia. bears N67E13 Ws. dint. &

a Do 14 " " " S19W21 " "

78.50 set post on left bank of Owl River from which

a Bur Oak 5 in. dia. bears S25E2 Ws. dint. &

a Buckeye 16 " " " N30W10 " "

80.00 set post on left bank of Owl River corner of
 Sec. 29, 30, 31 & 32 from which

a Buckeye 10 in. dia. bears S48E3 Ws. dint. &

a Do 14 " " " N16E23 " "

Level 1st & 2nd rate land. Timber Bur Oak, Ash,
 Cherry, Walnut, Buckeye & Upr. Ironwood,
 Sugar, Waterbeech, Pawpaw &c.

East in Random between Sec. 29 & 32

40.00 set temp. gr. sec. post

78.94 Intersect N. & S. line 18 Ws. S. of post—

Level rich 1st rate land. Timber Walnut,
 Buckeye, Hackberry, Sugar, Elm, Cherry &
 Upr. Haw, Ash, Sugar, Pawpaw

West Connected between Sec. 29 & 32

21.20 a Buckeye 10 in. dia.

397

T. 28 N., R. 4 E. 2^d Mer. Ind.
Elev. 100'

39.47 set q. sec. post at avor. dint. from which
a Buckeye 10 in. dia. bears $S 68^{\circ} E$ 22 lks. dint. S
a Walnut 20 " " " $N 45^{\circ} W$ 11 " "

61.04 a Buckeye 14 " " on true line

78.94 to sec. cor.

Went between Secs. 30 & 31

3.67 set post on right bank of Owl River from which
a Hickory 10 in. dia. bears $N 56^{\circ} W$ 34 lks. dint. S
a W. Oak 24 " " " $S 40^{\circ} W$ 35 " "

22.13 a Buckeye 20 " "

46.00 set q. sec. post from which
a Hawth 4 in. dia. bears $S 60^{\circ} E$ 18 lks. dint. S
a Sugar 4 " " " $N 67^{\circ} W$ 26 " "

64.50 a Branch 6 lks. wide course $S 9^{\circ} E$

65.45 a Gray Ash 8 in. dia.

70.44 Intersect W. Boundary 62 lks. N. of post -
set post at intersection cor. of sec. 30 & 31 from wh.
a Sugar 8 in. dia. bears $S 20^{\circ} E$ 37 lks. dint. S
a Buckeye 20 " " " $N 69^{\circ} E$ 5 " "
Level rich T. calc. land. Timber Elm, Walnut,
Beech, Ash, Cherry, Buckeye, Hickory,
Sugar B. Wp. Sugar, Ash, Spice, Pawpaw &c.

North between Secs. 29 & 30

20.97 a W. Elm 30 in. dia.

35.87 set post on left bank of Owl River from which
a Beech 6 in. dia. bears $N 87^{\circ} E$ 7 lks. dint. S
a Hickory 18 " " " $N 81^{\circ} W$ 14 " "

40.00 set q. sec. post on right bank of Owl River from wh.
a Sugar 10 in. dia. bears $N 58^{\circ} W$ 8 lks. dint. S
a Hackberry " " " $N 54^{\circ} E$ 5 " "

61.26 a Buckeye 10 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which
a Buckeye 22 in. dia. bears $S 31^{\circ} W$ 39 lks. dint. S
a Sugar 20 " " " $N 51^{\circ} E$ 50 " "

T. 28 N., R. 4 E. 2^d Mer. Ind. a

Ch. 10.

Level rich T.^hate land. Timber Elm, Sugar,
Walnut, Buckeye, Hackberry, Oak &
Upr. Spice, Pawpaw &

East ~~in Random~~ between Sec. 20 & 29 on true line
15.62 Intersect W. Boundary of Indian Reserve on
Mud Creek, 35.40 Ch. N. of the SW. corner
thereof, and 37.64 Ch. S. of Indian Boundary
line, set post cor. of frac. Sec. 20 & 29 from which
a Buckeye 10 in. dia. bears S 39 W 14 W. dist. 8
a W. Elm 4 " " " N 25 W 21 " "
Level T.^hate land. Timber Hackberry, Elm,
Sugar, Walnut, Buckeye, Oak & Upr. Spice,
Pawpaw &

West between Sec. 19 & 30

21.70 a Beech 10 in. dia.

40.00 set of sec. post from which
a Beech 20 in. dia. bears N 83 W 23 W. dist. 8
a J. Ash 30 " " " S 59 E 52 " "

52.50 a Branch 3 W. wide course N N E

55.15 a W. Oak 44 in. dia.

70.43 Intersect W. Boundary 81 W. N. of post
set post at intersection cor. of sec. 19 & 30 from which
a Beech 10 in. dia. bears S 40 E 18 W. dist. 8
a Do 18 " " " N 65 E 38 " "

Rolling T.^hate land. Timber Beech, Sugar,
Ash, Hickory, Poplar & Upr. Ironwood, Sugar,
Spice, Ash &

North between Sec. 19 & 20

10.00 a Branch 6 W. wide course E.

11.75 a Do 4 " " " E.

21.73 a Beech 22 in. dia.

28.50 a Branch 12 W. wide course E S E

38.87 Intersect Northern Boundary line 15.45 Ch.

T. 28 N., R. 4 E., T. 2. Mer. Ind.^a
 Chs. Lk.

W. of Reserve on Mud Creek & set post corner
 of frac. Sec. 19 & 20 from which
 a B. Oak 3 in. dia. bears S 26° W 4 lks. dist. &
 a Sugar 18 " " " S 80° E 22 " "
 Part level, part rolling 2nd rate land. Timber
 Beech, Ash, Oak, Elm, Sugar & W. Ironwood,
 Spice, Ash &c.

Meanders of Eel River. Right bank down
 stream. Beginning at the NW corner of Indian
 Reserve on Mud Creek, thence:

Courses Chs. Lk.	Remarks.
S 69° W 14.00	In Sec. 29
S 80° W 2.87	Intersect line between Sec. 29 & 30
40.00 Chs. North of Sec. cor.	
S 81° W 8.00	In Sec. 30 - at 20 lks. a Branch 10 lks. wide
S 68° W 5.00	from NW
S 46° W 3.50	} Spring branches from NW
" 2.50	
" 3.00	
S 14° W 4.00	High Bluff & old Indian Village
S 16° E 4.50	
S 35° E 4.50	
S 67° E 4.50	
N 88° E 6.00	
S 35° E 3.00	
S 7° W 3.00	} a Branch 4 lks. wide from NW
" 4.50	
S 10° E 7.18	Intersect line between Sec. 30 & 31
3.67 Chs. W. of Sec. corner.	
S 13° E 10.00	In Sec. 31
South 11.00	
S 30° W 9.00	

T. 28 N., R. 4 E. 2.^d Mer. Ind.^a

Courses Ch. Dk.

Remarks

S 43° W 5.00 at 3.00 Ch. a Brook 4 lks. wide from NW

S 13° W 4.00

S 14° E 4.50

S 9° E 5.00

S 22° E 7.50

S 7° E 3.50

S 6° W 18.50

S 19° E 0.20 Intersect line between Towns 27^d & 28.

Left bank down stream. Beginning at
the NW corner of large Indian Reservat-
ion, thence:

N 25° W 11.50 In Sec. 22

N 38° W 5.50

N 55° W 10.50

N 89° W 4.50 at 3.00 Ch. a Branch 8 lks. wide from SE

S 80° W 7.50 Head of Island

S 64° W 3.66 Intersect line between Sec. 21 & 22
28.25 Ch. N. of Sec. corner.

S 67° W 3.50 In Sec. 21

S 82° W 2.50

S 62° W 3.00

S 84° W 11.00 foot of Island

N 69° W 6.50

N 51° W 10.00

N 36° W 2.50 W.S. improvement for Indians on oppo-
site bank

N 45° W 6.00

N 48° W 2.00

N 61° W 3.50

N 74° W 2.50

S 71° W 2.50

S 46° W 2.50

S 62° W 3.00

S 77° W 6.00 Island 2.50 Ch. long

N 85° W 8.00 cluster of small Islands

T. 28 N., R. 4 E. 2^d Mer. Ind^aCorners Ch^s. E^{rs}

Remarks.

S 71° W 4.50	} Cluster of small Islands Intersect line between Sec. 20 & 21 29.20 Ch ^s North of Sec. corner.
S 50° W 8.50	
S 63° W 4.00	

S 62° W 6.00	In Sec. 20
S 67° W 9.50	a Branch 15 Ch ^s . wide from S E
S 52° W 10.00	
S 24° W 2.00	
S 10° W 4.50	
S 39° W 11.00	
S 28° W 1.90	Intersect line between Sec. 20 & 29 31.40 Ch ^s West of Sec. cor.

S 33° W 10.50	In Sec. 29
S 9° W 3.00	
S 6° E 14.00	at 13.25 Ch ^s a Branch 5 Ch ^s . wide fr. S E
S 17° W 5.00	
S 52° W 5.00	
N 88° W 5.00	
N 76° W 4.00	
S 85° W 2.50	
S 45° W 8.00	
S 65° W 10.00	
N 88° W 5.25	Intersect line between Sec. 29 & 30 35.87 Ch ^s North of Sec. corner.

West 2.00	In Sec. 30
S 78° W 3.50	
S 61° W 9.00	
S 37° W 3.00	
S 1° W 5.00	
S 57° E 5.00	
S 86° E 3.00	
N 81° E 3.00	
S 59° E 3.00	

T. 28 N., R. 4 E. 2^d Mer. Ind.^a
 Courses Lch. Lch. Remarks

S 29 E 4.00

S 2 E 15.61 Intersect line between Sec. 29 & 30, at the corner of Sec. 29, 30, 31 & 32

South 2.50 In Sec. 32

S 19 E 4.50

S 6 E 2.50

S 13 E 6.00

S 5 W 6.00

S 22 W 6.08 Intersect line between Sec. 31 & 32
 53.35 lch. North of Sec. corner.

S 30 W 12.50 In Sec. 31

S 7 E 3.50

S 21 E 12.50 at 7.00 lch. a Spring branch 5 lch. wide from
 at 10.00 " a Do 3 " " from S E

S 3 W 22.00

S 17 E 5.56 Intersect Town line (South Boundary)
 May 19. 1828

Thomas Brown, Dep. Sur.

For beginning corner to subdivide this Township
 commenced measuring at the corner of Sec. 20,
 21, 28 & 29, South of Eel River, thence:
 North 29.23 ^{lch. lch.} left bank of Eel River
 33.70 right " " Do
 104.25 after descending Bluff 80 feet high,
 brisk running stream 30 lch. wide c. E S E
 135.50 a Stream 15 lch. wide course S W
 201.60 a Do 10 " " " S E, sluggish
 209.15 Intersect N. Boundary of Weesau's Reserv-
 ation, set post cor. of Sec. 8 & 9 from which
 a W. Oak 18 in. diam bears N 52 E 39 lch. dist. &
 a Beech 18 " " " N 40 W 53 " "
 Measured East on said line 59.32 lch. to the
 N E. corner thereof.

T. 28 N., R. 4 E., 2^d Mer. Ind.
Ch. 1st 1st?

North between Sec. 8 & 9 From Reservation

7.85 Wagon road from Treaty ground on Wabash R.
to Pottowattamie Mills.

13.14 a Poplar 18 in. dia.

24.15 a Branch 8 Mts. wide course SE

25.00 Do course SW

28.34 a Buckeye 18 in. dia.

28.40 a Branch 3 Mts. wide East into another 20 Mts. wide

30.85 set post cor. of sec. 4, 5, 8 & 9 from which

a Beech 24 in. dia. bears N 39 E 17 Mts. dist. &

a Do 24 " " " S 44 1/2 W 15 " "

Land level in part, balance rolling 2^d rate,
timber Beech, Ash, Poplar, Gum, Sugar, White
Oak, Elm, Walnut & Upr. Spice, Ash, Ironwood,
Logwood, Hornbeam, Buckeye, Cherry.

East between Sec. 4 & 9 on true line

3.30 a Branch 4 Mts. wide course SW

4.35 Do course NW

5.90 Do " " NW 1/4 W

7.00 cut S. bend of Do

10.17 a Poplar 18 in. dia.

24.30 a Sugar 16 " "

24.50 descend steep bank 15 feet high

26.00 a clear Branch 4 Mts. wide course SW

40.00 set q. sec. post from which

a Beech 18 in. dia. bears S 55 E 30 Mts. dist. &

a Do 10 " " " N 8 1/2 W 22 " "

41.23 a Poplar 26 " "

42.00 a clear brisk stream 10 Mts. wide course SW.

ascend Bluff 40 feet high

44.00 summit

55.19 a Beech 16 in. dia.

56.00 a Branch 2 Mts. wide course N. steep banks.

58.81 Intersect W. Boundary of Ashkums and Ne-
siona's Reservation, set post from which

T. 28 N., R. 4 E. 2. Mer. Ind.
Ch. 10?

a Beech 24 in. dia. bears N 38° W 5 Mts. dist. &
forked from 6 " " S 27° W 10 "
Measured South on said line 30.81 Ch. to
the NE. corner of Weesau's Reservation.

Land part level, part rolling 2. rate. Timber
Beech, Ash, Sugar, Poplar, Gum, Walnut &
Upr. Ironwood, Sugar, Buckeye, Gum, Elm,
Ash, Spice, Buckeye, Pawpaw &c.

North between Sec. 4 & 5

- 5.00 ascend hill
7.69 a Beech 18 in. dia., level land
16.98 a Do 20 " "
20.70 a Branch 4 Mts. wide course S. E. brisk current
23.94 a Poplar 20 in. dia.
40.00 set of sec. post from which
a Beech 16 in. dia. bears N 83° E 6 Mts. dist. &
a Do 14 " " " S 12° W 23 " "
43.91 a W. Oak 18 " "
55.22 a Beech 24 " "
58.50 enter Willow Swamp
62.26 a Jack Oak 14 in. dia.
70.00 leave Swamp, mostly W.
76.34 a W. Elm 20 in. dia.
81.00 enter Willow Swamp
85.50 leave Do
85.97 Intersect N. Boundary 175 Mts. E. of post—
set post at intersection cor. of sec. 4 & 5 from which
a Gum 10 in. dia. bears S 35° W 35 Mts. dist. &
forked R. Oak 22 " " " S 37° E 46 " "
Land part level wet, part rolling 2 & 3. rate.
Timber Beech, Ash, Gum, R. Oak, Poplar, Elm,
Jack Oak, Hickory &c. Upr. Spice, Ash, Sugar,
R. Haw, Ironwood, Hazel, Willow &c.
March 14. 1834

T. 28 N., R. 4 E., T. 2 Mer. Ind.^a
Ch. Sp.

West between Sec. 5 & 8

1.25 a Branch 2 M^{rs}. wide course SE

5.92 a Beech 14 in. dia.

6.50 same Branch course NE

10.00 Do " SE

17.00 Wagon road, NW

26.27 a W. Elm 22 in. dia.

29.00 a Branch 2 M^{rs}. wide course S. into Swamp

32.10 a Beech 24 in. dia.

39.00 a Branch 3 M^{rs}. wide course WSW

40.00 set of sec. port from which

a Beech 14 in. dia. bears N 4 1/2 E 17 M^{rs}. dist. S

a Do 26 " " " S 9 W 40 " "

44.00 crossed the same Branch 6 times W. of of sec.
port, course S.

44.45 a Beech 18 in. dia.

48.00 descend steep bank 25 feet high

48.65 clear gravelly Branch 8 M^{rs}. wide course SE.
into large Swamp

52.00 a Beech 14 in. dia.

80.00 set port cor. of sec. 5, 6, 7 & 8 from which

a Beech 20 in. dia. bears S 85 E 8 M^{rs}. dist. S

a P. Oak 40 " " " N 4 1/2 W 33 " "

Land rolling 2^d rate. Timber Beech, Ash,

Elm, Lym, W. P. Oak, Hickory, Ironwood &

W. Spice, Ash, Sugar, Ironwood, Briers &

South between Sec. 7 & 8

2.06 enter Frog pond

6.00 leave Do

11.15 a Branch 2 M^{rs}. wide course SW.

11.48 a P. Oak 32 in. dia.

11.58 same Branch course SSE

12.00 Do " SW

21.40 a W. Oak 28 in. dia.

22.00 an Indian trail, NWN

T. 28 N., R. 4 E. 2^d Mer. Ind.
Ch^d. & Co.

30.25 an Indian trail, NNE

31.45 Intersect N. Boundary of Weesau's Reserve,
set post cor. of sec. 7 & 8 from which
a Beech 18 in. dia. bears N 31° W 20 Ws. dist. 2,
a Dec 18 " " " N 88° E 11 " "

Measured West on said line 37.22 Ch^d.
to the NW corner thereof.

Land rolling 2^d rate. Timber Beech, Ash,
Sugar, Elm, Poplar, W. & P. Oak, Gum V.
W. Sp. Spice, Elm, Sugar, Hickory, Ironwood,
Ash, Buies V.

West between Sec. 6 & 7 on Random

22.75 an Indian trail NW

29.00 descend steep hill 25 or 30 feet high

31.30 brisk running Stream 30 Ws. wide. S.E.
Eye colored water

32.00 ascend hill 30 feet high

41.00 descend same hill and crossed Lagoon 50
Ws. wide from Pond S.

69.52 Intersect Range line 40 Ws. N. of post -

set post at intersection	Cor. of Sec. 6 & 7	from which
a W. Oak 22 in. dia.	bears	N 01° E 66 Ws. dist. 2,
a Beech 24 " " "		S 33° E 31 " "

Land rolling 2^d rate. Large W. & P. Oak, Pop-
lar, Beech, Sugar, Ash, Elm, Gum, Hickory,
Ironwood, Walnut V. W. Sp. Spice, Ash,
Elm, Sugar, Hickory, Buckeye V.

East Corrected between Sec. 6 & 7

Bearings for corner in Range line

a W. Oak 22 in. dia. bears N 01° E 66 Ws. dist. 2,
a Beech 24 " " " S 33° E 31 " "

1.05 a Beech 20 " "

11.36 a Sugar 22 " "

20.58 a Gray Ash 18 " "

407

T. 28 N., R. 4 E. 2^d Mer. Ind^a.

Ch^a. Sp^a.

- 29.52 set g^r. sec. post from which
a B. Walnut 4 in. dia. bears N 54 $\frac{1}{2}$ W 13 $\frac{1}{2}$ M^s. dist. 4
a R. Elm 14 " " " S 65 E 35 " "
40.92 a R. Oak 16 " "
62.27 a Beech 22 " "
69.52 to sec. cor.
-

East on true line between Sec. 18 & 19

- Bearing trees on Range line
a Blue Ash 22 in. dia. bears N 65 E 15 $\frac{1}{2}$ M^s. dist. 8
a Red Oak 12 " " " S 35 E 15 " "
10.94 a Beech 18 in. dia.
11.06 a Branch 6 M^s. wide course NE
20.74 a Beech 20 in. dia.
30.49 Intersect W. Boundary of Weesau's Reservation,
set post cor. of sec. 18 & 19 from which
a Beech 16 in. dia. bears N 46 W 27 $\frac{1}{2}$ M^s. dist. 3
a Do 22 " " " S 57 W 16 " "
Measured South on said line 38.40 Ch^a. to
old Indian Boundary line
Timber W. R. Oak, Ash, Beech, Elm, Walnut
& Upr. Hickory, Sugar, Ironwood, Spice &c.
-

East on true line between Sec. 7 & 18

- Bearings in Range line
a Hickory 12 in. dia. bears N 48 E 17 $\frac{1}{2}$ M^s. dist. 3
a Poplar 12 " " " S 36 E 7 " "
15.62 a Walnut sapling 4 in. dia.
22.00 leave Windfall, E N E
24.75 a Beech 18 in. dia.
31.35 Intersect W. Boundary of Weesau's Reservation,
set post cor. of sec. 7 & 18 from which
a Gray Ash 4 in. dia. bears N 65 $\frac{1}{2}$ W 38 $\frac{1}{2}$ M^s. dist. 8
a R. Elm 24 " " " S 43 W 46 " "
Measured North on said line 48.65 Ch^a. to
the NW corner thereof.

T. 28 N., R. 4 E. 2. Mer. Ind. a.

Chr. Lk.

Sand level 2^d rate. Timber Beech, Hickory,
Elm, small Walnut, Poplar, Sugar, Gum.
Upr. Hickory, Ash, Briers &c

North between Sec. 5 & 6

16.33 a R. Elm 32 in. dia.

28.71 a cherry 6 " "

38.02 a W. Oak 18 " "

40.00 set of sec. post from which

a B. Oak 28 in. dia. bears N 64° W 27 1/2 Ms. dist. 8

a R. Oak 18 " " " S 80° E 28 " "

50.00 enter Willow Swamp

54.50 leave Do mostly W.

55.20 a B. Oak 22 in. dia.

63.28 a W. Oak 28 " "

72.10 Wagon Road from Wabash to Pottowattamie
Mills.

72.85 a Hickory 18 in. dia.

73.00 enter Frog pond

77.50 leave Do mostly E.

83.03 Intersect N. Boundary 175 Ms. E. of post -
set post at intersection cor. of sec. 5 & 6 from which
a R. Oak 40 in. dia. bears S 62 1/2° W 63 Ms. dist. 8
a Hickory 18 " " " S 58° E 53 " "

Sand first half mile Royal rich 2^d rate
farming land, balance inferior 2^d rate.

Timber large W & R. Oak, Beech, Poplar,
Walnut, Elm, Gum, Hickory, Ash &c
Upr. Spice, Hazel, Sassafras, Hickory, Vines,
Willows &c. March 16. 1834

Meanders of right bank of Eel River in
Sec. 29. Beginning at corner in S. Boundary
of Meersau's Reserve, thence down stream:

Course Chr. Lk.	Remarks
S 38° W 3.50	In Sec. 29

T. 28 N., R. 4 E. 2^d Mer. Ind.^a

Courses Chs. Lks.

Remarks.

S 51° W 4.00 at 0.50 lks. a Branch 4 lks. wide from NW. Bluff.

S 23° W 7.50

S 7° W 4.50

S 19° W 10.50

S 57° W 4.00

N 62° W 5.50

S 85° W 3.00

S 75° W 7.39 Intersect W. Boundary of old Reservation
March 15. 1834

I hereby certify that in pursuance of a contract with M. T. Williams, Surveyor General of the United States, for the States of Ohio, Indiana and the Territory of Michigan, bearing date December the 27th day 1833, and in strict conformity to the Laws of the United States and the instructions from the said Surveyor General, I have surveyed and subdivided into sections fractional Township N. 28 North, of Range N. 4 East of the 2^d Principal Meridian in the State of Indiana. And I do further certify that the foregoing are the true and original field notes of the said survey and subdivision, executed as aforesaid.

Certified this 18th day of March 1834Thomas Brown, Dep. Sur.^r

John Stiles

Roland Morgan

Subdivision of the Reserve for the band of Weesau, and of Asokum and Weesiona's Reserve. Commenced June 21, and completed June 30. 1837 Var. 5. 55. E.

East on Random through Asokum and Weesiona's Reserve, from cor. of Sec. 4 & 9 on W. Boundary 21.19 sit temp. cor. of Sec. 3, 4, 9 & 10 - Continued

T. 28 N., R. 4 E., 2^d Mer. Ind.^a

Ehs. Sh.

- 40.00 set temp. gr. sec. post
 80.00 set temp. cor. of sec. 3, 4, 9 & 10 — Continued
 40.00 set temp. gr. sec. post
 80.00 set temp. cor. of sec. 1, 2, 11 & 12 — Continued
 40.00 set temp. gr. sec. post
 79.96 Intersect E. Boundary 311 Yds. N. of post cor.
 of Sec. 6 & 7 in T 28 N., R 5 E. where set post
 cor. of Sec. 1 & 12 [For Notes of Bearings,
 see Notes of E. Boundary]

West blazed line between Sec. 1 & 12

- 0.30 in Stream 20 Yds. wide course SE
 1.00 out on same side
 1.32 same stream, course SW
 18.75 a Run 3 Yds. wide course SE
 40.00 set gr. sec. post from which
 a Hickory 22 in. dia. bears N 65° W 42 Yds. dist. 8
 a Beech 20 " " " S 13 3/4° W 45 " "
 51.60 a Run 5 Yds. wide course S.
 80.00 set post cor. of Sec. 1, 2, 11 & 12 from which
 a N. Elm 36 in. dia. bears N 25 1/2° E 20 Yds. dist. 8
 a Do 12 " " " S 65° W 9 " "
 Land nearly level 2^d rate. Timber Sugar
 Beech, Lym, Hickory, Oak, Ash &c.

North between Sec. 1 & 2

- 40.00 set gr. sec. post from which
 an Ash 22 in. dia. bears S 33° W 30 Yds. dist. 8
 a Beech 10 " " " N 18° E 27 " "
 55.28 a Beech 19 " "
 72.79 a Do 21 " "
 90.47 Intersect Township line 13 Yds. E. of post —
 set post at intersection cor. of sec. 1 & 2 from which
 a Lym 12 in. dia. bears S 11 1/2° W 33 Yds. dist. 8
 a Hickory 6 " " " S 8° E 30 " "
 Land gently rolling good dry 2^d rate. Timber

Ch. Lk.

T. 28 N., R. 4 E. 2. Mer. Ind. 411

Beech, Ash, Sugar, Hickory, Poplar & Wye.
Sugar, Spice, Gum & Hickory.

South between Sec. 11 & 12

9.43 a Beech 21 in. dia.

10.02 a Do 23 " "

24.46 a Do 22 " "

37.78 a Maple 24 " "

40.00 set gr. sec. post from which

a Maple 15 in. dia. bears S 28 1/4 W 17 1/2 M. dist. 2

a Beech 18 " " " N 5 1/2 E 30 " "

74.04 a Beech 13 " "

76.95 a Sugar 20 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Hickory 22 in. dia. bears S 24 1/2 W 32 M. dist. 2

a W. Elm 18 " " " N 9 3/4 W 16 " "

Land nearly level, good 2^d rate. Timber Beech,
Sugar, Ash, Oak, Elm, Hickory, Poplar, Walnut &c.

East in Random between Sec. 12 & 13

37.87 a Run 8 M. wide curve S.

79.86 Intersect E. Boundary 20 M. N. of post -

Land level 2^d rate, timber as last noted.

West Connected between Sec. 12 & 13

39.93 set gr. sec. post at aver. dist. from which

a Beech 10 in. dia. bears S 66 E 10 M. dist. 2

a Do 20 " " " N 39 E 29 " "

79.86 to sec. cor.

South between Sec. 13 & 14

6.47 a Beech 24 in. dia.

27.70 a Do 30 " "

40.00 set gr. sec. post from which

a Sugar 22 in. dia. bears S 8 1/2 W 29 M. dist. 2

a Homewood 8 " " " S 20 E 19 " "

T. 28 N., R. 4 E. 2. Mer. Ind.^{ce}

Elev. 800

44.40 a Run 6 Mts. wide course SW

73.33 a Beech 11 in. dia.

80.00 set post cor. of sec. 13, 14, 23 & 24 from which
 a Pop. Ark 23 in. dia. bears N 40° W 14 Mts. dist. 8
 a R. Elm 6 " " " N 85° E 13 " "
 Land undulating 1st rate. Timber Sugar,
 Beech, Ark., Walnut, Buckeye & Wyr. Spice,
 Pawpaw &c.

East in Random between Sec. 13 & 24

27.55 a Run 10 Mts. wide course S.

76.00 a Stream 40 " " " S.

79.68 Intersect E. Boundary at post—

Land level 1st rate. Timber Elm, Buckeye,
 Walnut, Beech, Gum, Hackberry &c.

West blazed line back between Sec. 13 & 24

37.51 a Buckeye 15 in. dia.

39.84 set q. sec. post at aver. dist. from which
 a Beech 10 in. dia. bears S 6½° E 20 Mts. dist. 8
 a Ironwood 9 " " " N 4½° W 20 " "

79.68 to sec. cor.

South between Sec. 23 & 24

12.30 a Stream 30 Mts. wide course SE

17.87 a W. Elm 20 in. dia.

20.13 a Do 23 " "

40.00 set q. sec. post from which

a Gray Ark 12 in. dia. bears S 66° W 20 Mts. dist. 8

a Do 12 " " " S 70° E 19 " "

48.46 a Red Elm 36 " "

57.74 a Buckeye 20 " "

69.50 enter field

80.00 set post in field cor. of sec. 23, 24, 25 & 26 from wh.
 a Mulberry 12 in. dia. bears S 52½° W 139 Mts. dist. 8
 a W. Oak 20 " " " N 11° E 163 " "

T. 28 N., R. 4 E. 2. Mer. Ind.^a
Ch. Sp.

Land nearly level 1.st rate. Timber same

East true line between Sec. 24 & 25

3.18 a W. Walnut 10 in. dia. corner tree on right bank of Owl River.

Land level 1.st rate. Timber all killed.

South between Sec. 25 & 26

4.90 crossed brush fence & left field.

8.00 set post on right bank of Owl River from which
a Hackberry 18 in. dia. bears N 47° E 28 W. dist. 9,
a Honey Locust 9 " " " S 77° 3/4 W 21 " "

Land level 1.st rate. Timber Elm, Buckeye,
Walnut, Oak, Locust &c.

Thursday, June 22, 1837

West blazed line back between Sec. 2 & 11

40.00 set g. sec. post from which

a Beech 12 in. dia. bears N 2 1/2° E 38 W. dist. 8,
an Ironwood 7 " " " S 6 1/4° E 10 " "

45.25 a Stream 25 W. wide corner S.

80.00 set post cor. of Sec. 2, 3, 10 & 11 from which

a Beech 21 in. dia. bears S 61 1/2° W 46 W. dist. 8,
a Do 8 " " " N 56 3/4° E 17 " "

Land rolling 2.nd rate. Timber Beech, Sugar,
Ash, Oak, Walnut, Elm, Hickory &c.

North between Sec. 2 & 3

4.38 a B. Walnut 48 in. dia.

10.55 an Ash 36 in. dia.

40.00 set g. sec. post from which

a Beech 18 in. dia. bears N 55° E 27 W. dist. 8

a Do 8 " " " S 77° 3/4 W 30 " "

45.00 a Pin Oak 22 " "

07.40 a Beech 19 " "

89.27 Intersect Township line 23 W. E. of post -

T. 28 N., R. 4 E., T. 2 Mer. Ind. a

Chr. Gr.

set post at intersection cor. of sec. 2 & 3 from which
a Beech 10 in. dia. bears S 64 E 37 Mk. dist. 8
a Do 20 " " " S 66 W 26 " "
Land rolling 2. rate. Timber Oak, Walnut,
Lynx, Beech, Sugar &c.

South between Sec. 10 & 11

3.78 a Beech 22 in. dia.
11.30 a Do 10 " "
21.60 a Run 8 Mk. wide course E. of S.
34.02 a Beech 20 in. dia.
40.00 set g. sec. post from which
a Beech 12 in. dia. bears North 1 Mk. dist. 8
a Do 14 " " " S 6 E 42 " "
69.86 algray Ark 28 in. dia.
80.00 set post cor. of sec. 10, 11, 14 & 15 from which
a Beech 26 in. dia. bears S 46 1/2 W 18 Mk. dist. 8
a Do 13 " " " N 72 E 49 " "
Land rolling 2. rate. Timber Sugar, Beech,
Ark, Walnut &c.

East in Random between Sec. 11 & 14

36.60 a Stream 30 Mk. wide course SW.
37.50 out on same side
38.50 same stream 25 Mk. wide course S.
80.04 Intersect. N & S. line 32 Mk. S. of post—
Land 2. rate. Timber same

West Corrected between Sec. 11 & 14

40.02 set g. sec. post at aver. dist. from which
a Beech 20 in. dia. bears N 83 1/2 E 16 Mk. dist. 8
a Do 8 " " " S 32 W 22 " "
80.04 to sec. cor. Friday, June 23. 1837

South between Sec. 14 & 15

13.27 algray Ark 36 in. dia.

T. 28 N., R. 4 E. 2^d Mer. Ind.
Ch. Sp.

27.19 a Beech 10 in. dia.

40.00 set of sec. post from which

a Bur Oak 22 in. dia. bears S 60° W 15⁰⁰ W. dist. 8

a Sugar 5 " " " N 68° E 13¹/₂ " "

41.24 a gray Ark 21 " "

65.69 a Pin Oak 6 " "

74.38 a B. Walnut 22 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a Sugar 22 in. dia. bears S 80° E 31⁰⁰ W. dist. 8

a Dr 9 " " " N 45° W 5 " "

Land nearly level T. rate. Timber Beech,
Sugar, Ark, Walnut, Buckeye, Hackberry,
Gum, Cherry &c.

East on Randon between Sec. 14 & 23

53.50 a Stream 30 W. wide course S. but turns
E. directly

75.00 a Run 10 W. wide course SE

80.35 Intersect N & S line 30 W. S. of post -

Land level T. rate. Timber Walnut,
Buckeye, Oak, Ark &c.

West Corner between Sec. 14 & 23

11.11 a Beech 7 in. dia.

33.09 a gray Ark 24 in. dia.

40.17 set of sec. post at aver. dist. from which

a Ironwood 7 in. dia. bears S 83¹/₄° W 6⁰⁰ W. dist. 8

a Buckeye 11 " " " N 79° W 26 " "

80.35 to sec. cor.

South between Sec. 22 & 23

19.13 a W. Elm 23 in. dia.

40.00 set of sec. post from which

a Hackberry 13 in. dia. bears S 39° E 16⁰⁰ W. dist. 8

a W. Elm 12 " " " N 31° W 24 " "

45.90 a Buckeye 20 " "

T. 28 N., R. 4 E. 2^d Mer. Ind.^a
 Chs. Sp.

55.75 a Pin Oak 30 in. dia.

59.94 set post on right bank of Owl River from which
 a Buckeye 11 in. dia. bears N 71 $\frac{1}{2}$ E 12 $\frac{1}{2}$ Mts. dist. 8
 a Sugar 10 " " " N 44 $\frac{1}{2}$ W 31 " "
 Sand level T. rate. Timber as last noted.

East on Random between Sec. 23 & 26

From temp. corner in or over Owl River.

2.25 out on right bank of Owl River

49.56 right bank of Owl River

70.50 out to right bank again

80.24 Intersect N & S. line 20 Mts. S. of post -
 Sand T. rate, overflows rather much.

West Corrected between Sec. 23 & 26

10.50 set post on right bank of Owl River from which
 a Sycamore 5 in. dia. bears S 32 E 5 Mts. dist. 8
 a Boxelder 6 " " " N 55 $\frac{1}{2}$ W 14 " "

30.68 set post on right bank of Owl R. from which
 a Beech 8 in. dia. bears N 61 $\frac{1}{2}$ W 9 Mts. dist. 8
 a Do 22 " " " N 21 E 26 " "

40.12 set of sec. post at arcr. dist. from which
 a Bur Oak 30 in. dia. bears West 9 Mts. dist. 8
 a Buckeye 9 " " " S 80 E 7 " "

78.23 set post on right bank of Owl River from which
 a Sycamore 12 in. dia. bears N 7 E 10 Mts. dist. 8
 a Do 12 " " " S 62 E 13 " "

80.24 to temp. sec. corner. June 24. 1837

West blazed line back between Sec. 3 & 10

40.00 set of sec. post from which
 a Beech 22 in. dia. bears S 26 W 15 Mts. dist. 8
 a Do 22 " " " N 12 E 49 " "

80.00 set post cor. of sec. 3, 4, 9 & 10 from which
 a Beech 24 in. dia. bears N 22 W 20 Mts. dist. 8
 a Hickory 10 " " " S 27 W 32 " "

417

T. 28 N., R. 4 E. 2^d Mer. Ind.
Ch. 1st
Land a little rolling 2^d rate. Timber Beech,
Sugar, Walnut, Ash &c.

West blazed on between Sec. 4 & 9
21.15 corner on W. Boundary of Reserve from which
a Buckeye 8 in. dia. bears N 69 E 35 W. dist. 3
a Beech 12 " " " S 26 E 44 " "
Land & timber about same.

North between Sec. 3 & 4
6.50 a Stream 6 Ws. wide course W
13.36 an Ironwood 6 in. dia.
34.77 a Beech 10 " "
40.00 set of sec. post from which
a Beech 10 in. dia. bears N 33 E 22 W. dist. 8
a Do 18 " " " N 66 W 14 " "
43.83 a Beech 18 " "
49.00 a Stream 10 Ws. wide course W
56.02 a Beech 12 in. dia.
87.88 Intersect Town line 42 Ws. W. of post -
set post at intersection cor. of Sec. 3 & 4 from which
a Beech 18 in. dia. bears S 41 E 10 W. dist. 8
a Do 12 " " " S 63 W 17 " "
Land dry rolling 2^d rate. Timber Sugar, Gum,
Beech, Ash, Elm, Walnut, Oak &c.

South between Sec. 9 & 10
1.70 a Beech 20 in. dia.
11.01 a W. Oak 24 " "
18.54 a Hickory 10 " "
40.00 set of sec. post from which
a Beech 20 in. dia. bears North 4 Ws. dist. 8
a Do 9 " " " S 21 W 44 " "
43.65 a Poplar 30 " "
57.11 a Beech 12 in. dia. " "
80.00 set post cor. of sec. 9, 10, 15 & 16 from which

T. 28 N., R. 4 E. 2.^d Mer. Ind.^a
 Chas. E. W.

a Beech 12 in. dia. bears S 55 W 19 W. dist. 8
 a Sugar 10 " " " N 30 E 24 " "
 Land rich & rolling. Timber Walnut, Ash, Elm,
 Sugar, Gum, Oak &c. June 25. 1837

East on Random between Sec. 10 & 15

30.50 a Stream 20 W. wide course SE.

79.62 Intersect N. G. line 31 W. S. of post—

Land rolling T.st rate. Timber Beech, Sugar, Ash,
 Oak, Walnut, Cherry, Buckeye &c.

West Connected between Sec. 10 & 15

1.68 a W. Elm 30 in. dia.

39.81 set of sec. post at aver. dist. from which

a Beech 15 in. dia. bears N 12 1/4 E 36 W. dist. 8

a Lycamore 34 " " " S 36 W 32 " "

79.62 to sec. cor.

South between Sec. 15 & 16

2.22 a Beech 20 in. dia.

9.75 a fine rocky Spring run 8 W. wide course SE

33.67 a Beech 12 in. dia.

36.09 a gray Ash 27 in. dia.

40.00 set of sec. post from which

a W. Oak 26 in. dia. bears N 40 W 4 W. dist. 8

" " 23 " " " S 60 W 18 " "

66.71 a Sugar 22 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a Buckeye 20 in. dia. bears N 25 E 18 1/2 W. dist. 8

a Beech 20 " " " S 28 3/4 E 32 " "

Land rolling T.st rate. Timber Beech, Sugar, Ash,
 Elm, Oak, Buckeye, Hackberry &c.

East on Random between Sec. 15 & 22

26.20 a Stream 30 W. wide course SW. rocky

79.35 Intersect N. G. line 32 W. S. of post—

T. 28 N., R. 4 E. 2. Mer. Ind.^a
Ch. 2. 30.

Land level 1.st rate. Timber Buckeye, Sugar,
Beech, Elm, Ash, Oak, Hackberry, Cherry, Junco, &c.

West Corrected between Sec. 15 & 22

2.88 a Buckeye 9 in. dia.

39.67 $\frac{1}{2}$ set of sec. post at aver. dist. from which
a Hackberry 15 in. dia. bears S 22 $\frac{1}{2}$ W 14 $\frac{1}{2}$ W. dist. 9,
a Sugar 4 " " " S 22 $\frac{1}{2}$ E 15 $\frac{1}{2}$ " "

79.35 to sec. cor.

West on true line between Sec. 16 & 21

21.00 to East line of Weesau's Section, set post from wh.

a Beech 9 in. dia. bears N 19 $\frac{1}{2}$ E 27 W. dist. 8

a Buckeye 7 " " " S 43 $\frac{1}{2}$ E 25 " "

Measured on said line South 50.57 Ch. to a
Lynn corner on the right bank of Owl River
Land level 1.st rate. Timber as last noted.

South between Sec. 21 & 22

18.50 dry bed of stream 30 W. wide course SNW

30.65 a Sugar 6 in. dia.

35.50 enter Indian field

40.00 set of sec. post in field from which

a Bur Oak 23 in. dia. bears N 19 $\frac{1}{2}$ E 47 W. dist. 8

a Dr 24 " " " S 70 E 143 " "

45.98 set post on right bank of Owl River from which

a Sugar 25 in. dia. bears S 64 W 28 W. dist. 8

a Beech 11 " " " N 2 $\frac{1}{4}$ E 51 " "

Land nearly level 1.st rate. Timber same

South through Sec. 22, from of sec. post on line between
Sec. 15 & 22

80.00 set of sec. post on line between Sec. 22 & 27 from which

a W. Elm 22 in. dia. bears S 20 W 33 W. dist. 8

a Pin Oak 22 " " " N 16 $\frac{3}{4}$ W 54 " "

T. 28 N., R. 4 E. 2^d Mer. Ind.^a
 Chas. Ste.

West from gr. sec. post on line between Sec. 22 & 27
 3.40 a Sycamore 48 in. dia.

5.30 set post on right bank of Eel River from which
 a Sycamore 11 in. dia. bears S 18 E 10 Ws. dist. 3
 a W. Elm 7 " " " N 49 E 25 " "

East from gr. sec. post on line between Sec. 22 & 27
 7.68 a Hackberry 12 in. dia.

9.90 set post on right bank of Eel River from which
 a Buckeye 8 in. dia. bears N 34 W 23 Ws. dist. 3
 a Hackberry 18 " " " S 32 W 23 1/2 " "

Land level 1st rate. Timber Buckeye, Hackberry,
 Oak, Walnut &c.

South between Sec. 8 & 9

7.50 a Stream 7 Ws. wide course E.

9.15 set gr. sec. post from which
 a W. Oak 24 in. dia. bears S 7 E 12 Ws. dist. 3
 a Beech 20 " " " N 54 W 22 " "

11.57 a Beech 18 " "

49.15 set post cor. of sec. 8, 9, 10 & 17 from which
 a Buckeye 10 in. dia. bears S 88 W 22 Ws. dist. 4
 a Do 12 " " " N 28 E 23 " "
 Land 1st rate. Timber Walnut, Poplar, Buck-
 eye, Sugar, Ash &c.

East on Random between Sec. 9 & 10

3.60 Weesan's Creek 20 Ws. wide course S.

59.75 line between Ashkum's & Weesan's Reserves.

76.35 a Spring run 5 Ws. wide course S E

80.75 Intersect N & E. line 77 Ws. N. of post—

Land rolling good 2^d rate. Timber Oak,
 Ash, Elm, Walnut, Buckeye, Poplar, Beech, Sugar &c.

West Corrected between Sec. 9 & 10

21.47 a Beech 5 in. dia.

T. 28 N., R. 4 E. 2^d Mer. Ind.^a
Ch^a. 10th.

40.37½ set g. sec. post at aver. dist. from which
an Elm 24 in. dia. bears S 52 E 17 W. dist. 3
a Beech 19 " " " N 40 W 12 " "
80.75 to sec. cor.

South between Sec. 10 & 17

3.39 a Buckeye 20 in. dia.
8.00 a Quagmire
13.00 leave Do fine spring runs out of this in a
S W. direction
18.22 a Sugar 20 in. dia.
24.11 a Bur Oak 19 " "
25.05 Weesau's Creek 20 W. wide course W.
30.44 set post on N. Boundary of Weesau's section,
cor. of sec. 10 & 17 from which
a Gum 10 in. dia. bears N 47 E 37 W. dist. 3
an Elm 10 " " " N 16 W 43 " "
Land & timber same as last described.
Measured West along N. Boundary of
Weesau's section 15.20 Ch^a to the NW. corner
of said section. June 20. 1837

South between Sec. 7 & 8

4.80 a P. Oak 36 in. dia.
8.55 set g. sec. post from which
a Beech 10 in. dia. bears N 66 E 34 W. dist. 3
a Sugar 12 " " " S 51 W 36 " "
18.45 a W. Oak 10 " "
35.41 an Ironwood 4 in. dia.
48.55 set post cor. of sec. 7, 8, 17 & 18 from which
a W. Walnut 12 in. dia. bears S 39½ E 40 W. dist. 3
a Gray Ash 12 " " " N 88 W 40 " "
Land rolling good 2^d rate. Timber Beech, Ash,
Sugar, Walnut, Poplar, Buckeye &c.

Cart on Random between Sec. 8 & 17

T. 28 N., R. 4 E., T. 2 Mer. Ind. a

Ch. 9th

80.21 Intersected No. 9 line 81 W. N. of post -
Land a little rolling good 2^d rate. Timber
Beech, Sugar, Ash, B. W. Walnut, Buckeye,
Elm, Gum &c.

West Corrected between Sec. 8 & 17

22.43 a Gray Ash 12 in. dia.

40.10 1/2 set of sec. post at aver. dist. from which
a Beech 23 in. dia. bears N 27° W 7 W. dist. 8
a Do 15 " " " S 31° E 32 " "

62.91 a Sugar 3 " "

80.21 to sec. cor.

West in Random between Sec. 7 & 18

5.70 Weesau's Creek 35 W. wide course S.

7.00 in same Creek

7.50 out & same side course SW

14.75 touch stream 20 W. wide course NE

18.00 cross same, 20 " " " NE

20.00 Do 15 " " " SE

37.29 Intersected 27 W. S. of post -

Land broken 2^d rate. Timber same

East Corrected between Sec. 7 & 18

1.11 a Beech 24 in. dia.

37.29 to sec. cor.

South between Sec. 17 & 18

4.29 a Beech 12 in. dia.

12.50 Weesau's Creek 40 W. wide course E.

15.00 Do 40 " " " W. of S.

16.50 Do 40 " " " E. of S.

25.87 a Beech 11 in. dia.

27.70 a Do 22 " "

40.00 set of sec. post from which

a W. Elm 9 in. dia. bears S 66° E 9 W. dist. 8

T. 28 N., R. 4 E. 2^d Mer. Ind. a
 Ch. Sk.

an Ironwood 7 in. dia. bears N 47 1/2 W 4 1/2 M. dist.
 59.25 a Stream 15 M., wide course E. rocky
 59.93 a Hickory 8 in. dia.
 80.00 set post cor. of sec. 17, 18, 19 & 20 from which
 a Sugar 5 in. dia. bears N 33 1/2 W 10 M. dist. 8
 a Beech 20 " " " S 63 E 53 " "
 Sand broken 2^d rate, Timber Beech, Sugar &c.

East on true line between Sec. 17 & 20

0.39 a Beech 24 in. dia.
 25.03 a Lym 26 " "
 40.00 set of sec. post from which
 a Beech 25 in. dia. bears S 59 W 8 M. dist. 8
 an Ironwood 8 " " " N 25 E 21 " "
 48.03 an Ironwood 5 in. dia.
 53.87 a B Walnut 10 " "
 59.19 a W. Oak 22 in. dia.
 65.50 Intersect West line of Meersau's section, set post
 corner of sec. 17 & 20 from which
 an Ironwood 5 in. dia. bears N 41 W 25 M. dist. 8
 a Beech 25 " " " S 22 1/2 W 60 " "
 Sand hilly good 2^d rate. Timber same

West on Random between Sec. 18 & 19

37.46 Intersect N. Boundary of Reserve 100 M. N. of post -
 Sand somewhat rolling 1st rate. Timber Beech,
 Poplar, Ash, Walnut &c. W. Pawpaw &c.

East Corrected between Sec. 18 & 19

37.46 to sec. cor. Tuesday, June 27. 1837

North between Sec. 19 & 20 on Random

42.88 Intersect 238 M. E. of post -
 Sand rolling 2^d rate. Timber same

South Corrected between Sec. 19 & 20

T. 28 N., R. 4 E. 2^d Mer. Ind.^a
Ch. Lk?

40.00 sub gr. sec. port from which
a Hickory 10 in. dia bears N 40 $\frac{1}{2}$ E 33 $\frac{1}{2}$ Mts. dist. 4
a Spruce 5 " " S 38 $\frac{1}{2}$ W 10 $\frac{1}{2}$ " "
42.88 to Sec. cor. on S. Boundary of Reserve

South. Measured from angle of Boundary in Sec. 20
37.87 to next angle of Boundary running East
to Bur Oak on Eel River, which line on exam-
ination was found to be a continuation of the
line between Sec. 20 & 29
From Bur Oak corner on Eel River, the corner
over the river bears N 87 $\frac{1}{4}$ E. and is distant
4.43 Ch.

South Measured from NW. corner of Meersan's Sec.
43.23 to cor. of Sec. 17 & 20 - continued from there
53.97 to lower or SW. corner of Section on Eel River.
Thence meandered Eel River down stream
on right bank. (Var. 5.30. E.)

Courses Ch. Lk.	Remarks.
S 72 $\frac{1}{2}$ W 3.50	In Sec. 20
S 52 $\frac{1}{2}$ W 8.50	
S 32 $\frac{1}{2}$ W 16.00	at 6.00 Ch. a Run 10 Mts. wide from NW
S 28 $\frac{1}{2}$ W 4.00	
S 25 $\frac{1}{2}$ W 5.00	to Bur Oak corner on line between Sec. 20 & 29.
Meanders of Eel River. Right bank down stream. Beginning at port in the East Boundary, thence:	
S 76 $\frac{1}{2}$ W 4.00	In Sec. 24 Var. 5.50. E.
S 62 $\frac{1}{2}$ W 5.00	
S 52 $\frac{1}{2}$ W 7.00	
S 30 $\frac{1}{2}$ W 5.00	at 4.00 Ch. opposite Head of Island
S 18 $\frac{1}{2}$ W 4.00	

T. 28 N., R. 4 E. 2.^d Mer. Ind.^a

Counes Ch. Pr.

Remarks.

S39 ^W 3.50	to opposite point of Island, & opposite upper end of Flowers Village over river.
S62 ^W 3.00	
N76 ^W 6.00	Head of Island
N55 ^W 6.50	at 5.00 Ch. mouth of creek 25 Chs. wide, coming from N. & opposite lower end of village
N88 ^W 6.00	point of Island
N69 ^W 15.00	at 5.00 Ch. rose high Bluff
S89 ^W 9.00	at 4.00 descend Bluff - at 5.00 Ch. Stream 15 Chs. wide - at 7.00 Ch. up on Bluff again
S61 ^W 3.00	
S41 ^W 10.00	
S21 ^W 4.00	
S9 ^W 5.00	
S11 ^W 15.00	at 10.00 Ch. descend Bluff & enter rich Bottom
S7E 4.07	to post in line between Sec. 24 & 25
S8 ^W 3.00	In Sec. 25
S20 ^W 3.00	
S38 ^{3/4} W 2.79	to post in line between Sec. 25 & 26
N83 ^W 3.00	In Sec. 26
N33 ^W 5.00	
N57 ^W 3.00	
N48 ^W 2.90	to post in line between Sec. 23 & 26
N25 ^W 10.00	In Sec. 23 - at 8.00 Ch. ascend Bluff
N75 ^W 5.00	
S41 ^W 4.00	at 2.00 Ch. opposite head of Island
S47 ^W 9.00	
S16 ^W 3.26	to line between Sec. 23 & 26
S42 ^W 14.00	In Sec. 26 - At 7.00 Ch. point of Island & at 9.00 Ch. Bottom land again
S81 ^W 12.00	

T. 28. N., R. 4 E. 2. Mer. Ind.^a

Courses Ch. Lks.

Remarks.

N69°W 24.00

N40°W 2.00

N52½°W 3.00 to port in line between Sec. 23 & 26

N20°W 7.00 In Sec. 23

N10°E 10.00

N10°W 3.00

N62°W 1.96 to port in line between Sec. 22 & 23
at 1.00 Ch. a stream 5 lks. wide from N6°

N52°W 3.00 In Sec. 22 — at 2.00 Ch. ascend Bluff

N73°W 5.00

S81°W 6.00

S45°W 3.00

S34°W 3.00

S20°W 4.00

S45°W 2.00

S53°W 3.00

S27°W 3.00 at 1.50 Ch. descend Bluff

S45°W 4.00

S39°W 5.00

S20½°W 1.75 to line between Sec. 22 & 27

S20°W 5.00 In Sec. 27 Var. 5°55' E.

S42°W 3.50

N87°W 5.00

N57°W 4.50

N34°W 3.00

N17°W 2.14 to port in line between Sec. 22 & 27

N6°E 7.00 In Sec. 22

N10°W 4.00

N22°W 3.00

N28°W 5.00

N24°W 6.00

N43°W 10.00 at 4.40 Ch. a Spring run from N. 8 at

T. 28 N., R. 4 E. 2. Mer. Ind.

Course	Chs.	Remarks.
		9.00 Chs. a Spring run from N.
N 35° W	6.00	3.50 Chs. Spring, North
N 85° W	12.00	at 10.00 Chs. Big Spring out of right bank
S 69° W	4.96	to point on line between Sec. 21 & 22
		Corner over River bears S 11 1/3° W (0.5.55 E.)
		distant 5 Chs. & 35 Chs.
S 69° W	11.50	In Sec. 21 — At 1.00 Chs. head of Island
S 82° W	8.50	at 4.00 Chs. point of Island
N 69° W	1.82	to Lynn, upper or S.E. corner of Weesau's Section.
		June 30. 1837.

I hereby certify that in pursuance of a contract with Robert T. Lytle, Surveyor General of the United States for the States of Ohio, Indiana and Michigan and the Territory of Wisconsin, bearing date the 27th day of May 1837, and in strict conformity to the laws of the United States and the Instructions of said Surveyor General, I have surveyed and subdivided into sections the Reserve for the Band of Weesau, and all that part of the Reserve for the Bands of Ashkum and Weesiones lying in Township 28 North of Range 4 East in the State of Indiana; And I do further certify that the foregoing are the true and original Field Notes of the said survey and subdivision executed as aforesaid.

Certified this 20th day of July A.D. 1837

Jeremiah Smith
Deputy Surveyor.

William Wright }
Benjamin Carver } Chainmen.

his
Jonathan & Bable, Mark
mark

T. 28 N., R. 4 E. T. Mer. Ind^a
 Ck. Sk.

Arthur H. C. Vance commenced subdividing
 on the 3^d day, and completed on the 5th day
 of January 1839.

North between Sec. 34 & 35

12.20 a Beech 18 in. dia.

26.77 a Do 20 " "

40.00 set g. sec. post from which

a Gum 12 in. dia. bears N 57° W 12 Ms. dist. 3

a W. Oak 10 " " S 82° E 25 " "

42.00 a W. Elm 10 " "

48.80 a W. Oak 46 " "

59.00 enter Willow Swamp, NE

63.50 leave it

80.00 set post cor. of sec. 20, 27, 34 & 35 from which

a W. Oak 30 in. dia. bears N 77° W 6 Ms. dist. 2

a Beech 9 " " S 77° E 14 " "

Rolling 2^d rate land. Timber Beech, Oak, Ash,
 H. Uls. Spice, Willow &c

West on Random between Sec. 27 & 34

46.90 Intersect W. Boundary of Reserve 12 Ms. S. of
 post - Level 2^d rate land. Timber Beech,
 Sugar, Ash &c Uls. Spice &c

988.386 Corrected between Sec. 27 & 34

6.90 set g. sec. post from which

a Beech 14 in. dia. bears S 76° W 12 Ms. dist. 3

a Sugar 7 " " S 77° E 17 " "

9.61 a W. Oak 34 " "

27.86 a Beech 20 " "

46.90 to sec. cor.

North between Sec. 26 & 27

22.97 a W. Oak 14 in. dia.

25.64 a Sugar 26 " "

429

T. 28 N., R. 4 E. I. Mer. Ind.?

Ch. 1. 10.

40.00 set of sec. post from which
a W. Oak 30 in. dia. bears S 6 E 10 Ws. dist. 3
an Ironwood 10 " " " N 46 E 10 " "

47.70 a Beech 10 " "

63.12 a Gum 29 " "

63.75 S.E. corner of field

80.00 set post in N.E. corner of field corner of Sec. 22, 23, 26 & 27 from which

a R. Elm 10 in. dia. bears N 9 E 28 Ws. dist. 3

a Buckeye 4 " " " N 76 E 20 " "

First half mile same as last, last half mile
1st side Bottom. Timber Elm, Ash, Buckeye,
Walnut & Upr. Pawpaw, P. Ash &c.

West on Random between Sec. 22 & 27

8.00 over W. side of field

24.00 set temp. post on left bank of Eel River,
250 Ws. wide course NW.

27.00 leave Eel River

42.20 enter Eel River 280 Ws. wide course N

44.65 leave S

46.00 Intersect 112 Ws. S. of post -

Level rich Bottom land. Timber Beech,
Elm, Buckeye &c. Upr. Spruce &c.

88.38 E. connected between Sec. 22 & 27

1.35 set post in left bank of Eel River from which
a Sweet Oak 3 in. dia. bears S 37 W 21 Ws. dist. 3
a Gum 2 " " " S 3 E 25 " "
N 88 E. to post in left bank of Eel River
2.85 Chs. distant.

22.00 set post on left bank of Eel River from which
a Boxelder 7 in. dia. bears S 35 E 34 Ws. dist. 3

a Do 12 " " " N 76 E 45 " "

23.70 a Hackberry 24 in. dia.

31.94 a W. Walnut 12 in. dia.

T. 28 N., R. 4 E. 2. Mer. Ind.
 Chas. G. W.
 46.00 to sec. cor.

North between Sec. 22 & 23

0.20 over N. side of field

5.88 set post on left bank of Eel River from which
 a Sweet Oak 3 in. dia. bears N 64° W 14 M. dist. 8,
 a Hornbeam 4 " " " S 16° W 15 " "

Level with Bottom land. Timber Elm, Buck-
 eye, Walnut & Ulp. Spice, Hawth.

S 49½° E. 7.35 Chas. to corner in right bank of
 Eel River between Sec. 23 & 26

N 12° E. 15.42 Chas. to corner post in right bank
 of stream between Sec. 22 & 23. January 3. 1839

North between Sec. 35 & 36

0.22 a Red Oak 20 in. dia.

13.69 a W. Elm 20 " "

23.45 a W. Oak 30 " "

40.00 set g. sec. post from which

a Beech 20 in. dia. bears S 55° E 9 M. dist. 8,

a Dr. 24 " " " N 63° W 30 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Beech 14 in. dia. bears N 84° E 20 M. dist. 8

a Sugar 26 " " " N 75° W 38 " "

Rolling 2^d rate land. Timber Beech, Ash, Sugar &c.
 Ulp. Spice, Hawth.

West on Random between Sec. 26 & 35

11.00 Road to Peru, SW

15.50 over dry Branch 10 M. wide course NW

79.67 Intersect N & S. line 87 M. S. of post -
 Land same as last described.

S 89° 23' E. Connected between Sec. 26 & 35

2.22 a Sweet Oak 10 in. dia.

22.99 a Gray Ash 24 " "

T. 28 N., R. 4 E. 2. Mer. Ind.th
 64th 9th

39.83 $\frac{1}{2}$ set g. sec. post at aver. dist. from which
 a R. Oak 7 in. dia. bears S 7 $\frac{1}{2}$ E 38 $\frac{1}{2}$ Ws. dist. 4
 a Do 7 " " " N 25 $\frac{1}{2}$ W 29 " "

43.14 a Beech 20 " "

63.72 a Hornbeam 3 in. dia.

79.67 to sec. cor.

North between Sec. 25 & 26

0.40 a Sweet Oak 40 in. dia.

21.50 Road to Peru, SW

27.40 a Beech 12 in. dia.

31.18 a Do 10 " "

40.00 set g. sec. post from which

a Buckeye 6 in. dia. bears S 22 $\frac{1}{2}$ E 10 Ws. dist. 4

a Gray Ash 9 " " " N 49 $\frac{1}{2}$ W 24 " "

42.43 a Beech 12 " "

49.73 a Do 20 " "

56.20 enter W. bend of Creek 30 Ws. wide course NW

58.00 leave same

67.25 over same Creek 20 Ws. wide course NW

68.18 a Buckeye 6 in. dia.

71.58 set post on left bank of Eel River from which

a Buckeye 9 in. dia. bears S 84 $\frac{1}{2}$ W 8 Ws. dist. 3

a W. Elm 12 " " " S 83 $\frac{1}{2}$ E 37 " "

Land same as last described.

Measured N 53 $\frac{1}{2}$ E. 4.80 Chs. to post in right
 bank between Sec. 25 & 26

West on Ransom between Sec. 23 & 26

5.00 enter Eel River 200 Ws. wide course NW

8.00 leave same

23.85 set temp. post in left bank of Eel River 300
 Ws. wide course S.

26.85 leave same

73.60 enter Eel River 268 Ws. wide course N

76.60 leave same & set temp. post

T. 28 N., R. 4 E. 2^d Mer. Ind.^a
 Chs. Dr.

79.70 Intersect. N. & S. line 80 Ws. S. of port -
 Land &c. same as last described.

9.89.28 E. Corrected between Sec. 23 & 26

1.22 a Red Oak 18 in. dia.

3.10 set port on left bank of Owl River from which
 a B. Walnut 12 in. dia. bears S 34° W 28 Ws. dist. 3
 a W. Elm 20 " " " N 74° W 34 " "

Measured across stream N 61½ E. to port in
 right bank between Sec. 23 & 26 2.68 Chs.

55.85 set port on left bank of Owl River from which
 a Sycamore 20 in. dia. bears S 24° W 15 Ws. dist. 3
 a H. Elm 10 " " " N 81 E 50 " "

Measured across stream 3.69 Chs. N 56¼ W
 to port in right bank in line between Sec. 23 & 26

60.52 a Buckeye 16 in. dia.

71.70 set port in left bank of stream from which
 a W. Walnut 9 in. dia. bears N 33° W 34 Ws. dist. 3
 a S. 9 " " " S 4° W 20 " "

Measured over stream to port in right bank
 in line between Sec. 23 & 26 N 36 E. 2.86 Chs.

79.70 to sec. cor. January 4. 1839

West on Random between Sec. 25 & 36

25.75 an Indian trace, S.

49.20 enter Creek 16 Ws. wide course N.

50.50 leave same

79.86 Intersect. N. & S. line 130 Ws. S. of port -
 Rolling 2^d rate land. Timber Beech, Ash,
 Sugar &c. Ws. Spice, Hawth, Sugar &c.

9.89.08 E. Corrected between Sec. 25 & 36

5.75 a gray Ash 4 in. dia.

20.30 a W. Elm 29 " "

39.93 set of sec. port at area. dist. from which
 a Beech 22 in. dia. bears S 87 E 39 Ws. dist. 3

Completed

T. 28 N., R. 4 E. 2^o Mer. Ind.
Ch. Sk.

a Beech 7 in. dia. bears S 69° W 13 W. dist.
44.09 a B. Walnut 8 in. dia.
62.30 a Beech 7 in. dia.
79.86 to sec. cor.

West on Random between Sec. 24 & 25

10.25 pass Road to Peru, SW

49.94 pass new Road to Peru, SW

69.42 to left bank of Eel River, set temp. post

79.94 Intersect 100 W. S. of post

Level 1st rate land. Timber Beech, Ash, Buckeye,
v. Upr. Spice, Hawth.

S 89.17 E. Corrected between Sec. 24 & 25

10.52 set post on left bank of stream from which

a W. Elm 10 in. dia. bears S 11° W 70 W. dist. 8

a Hackberry 22 " " " N 52° E 100 " "

Measured across stream to W. Walnut cor. tree

in right bank of same 4.18 Ch. bearing N 49° W

Var. 4.55 E. January 5. 1839

19.60 a Sugar 22 in. dia.

29.24 a Beech 30 " "

39.94 set of sec. post from which

a Beech 30 in. dia. bears S 50° W 26 W. dist. 8

a Do 22 " " " N 82° E 27 " "

45.40 a Hornbeam 6 " "

77.94 a W. Elm 30 " "

79.94 to sec. cor.

Meanders of Eel River. Beginning at
post in left bank of Eel River, in W. Boundary
of Reservation, and W. Boundary of Sec. 22,
thence upstream: Var. 5.55 E.

Courses	Ch. Sk.	Remarks.
S 12 1/2 E	0.00	In Sec. 22 — to post in line betw. Sec. 22 & 27

T. 28 N., R. 4 E. 2. Mer. Ind. a.

Courses	Chrs. Sts.	Remarks.
S 20 1/4 E	5.94	In Sec. 27
S 66 1/2 E	9.25	
N 79 E	6.95	
N 27 E	5.77	
N 14 E	2.44	to post in line between Sec. 22 & 27
N 41 E	17.10	In Sec. 22
N 19 E	7.47	
N 73 1/4 E	6.50	
S 60 E	5.00	pass foot of Island N 40 E
S 8 E	6.50	pass head of Do East
S 9 W	7.71	to post in line between Sec. 22 & 23 January 3, 1839
S 28 E	6.70	In Sec. 23 to post in line between Sec. 23 & 26
S 53 E	14.04	In Sec. 26
S 75 E	24.15	at 23.50 Chrs. pass mouth of creek 12 M wide N.
N 61 1/4 E	17.71	
N 31 E	4.11	
N 21 E	2.01	to post in line between Sec. 23 & 26
N 43 1/4 E	13.48	In Sec. 23
S 37 E	9.94	
S 6 E	1.93	to post in line between Sec. 23 & 26
S 50 E	5.67	In Sec. 26
S 8 E	3.50	
S 50 E	3.79	to post in line between Sec. 25 & 26
N 72 E	8.82	In Sec. 25 January 4, 1839
N 78 1/2 E	5.55	to post in line between Sec. 24 & 25
N 2 1/2 E	14.58	In Sec. 24
N 31 E	10.95	at 4.00 Chrs. pass foot of Island
N 17 1/4 E	12.50	at 5.00 , pass head of Do

T. 28 N., R. 4 E. 2. Mer. Ind.

Courses & Dist.

Remarks

East 8.15
 S 73 3/4 E 10.65
 S 65 1/2 E 16.13 Flower's Village on R. (January 5, 1839)
 S 84 3/4 E 11.76
 N 44 1/2 E 4.73 pass foot of tow head
 N 25 1/2 E 5.71
 N 10 E 3.02 at 1.50 pass head of Do
 N 47 E 9.00 at 2.50 hrs. pass. Tow head
 N 61 1/4 E 2.27 to post in line between Ranges 4 & 5 E.

General description.

The land in this fraction of this Township is nearly divided between rolling rich 2.^d rate & 1.st rate level bottom, rather the largest portion is 2.^d rate. Soil from 6 to 8 inches deep. Timber abundant, tall and fine on the upland, but fencing timber scarce on the bottoms. Beech prevails on the upland and Elm & Buckeye on the low lands.

I hereby certify that in pursuance of a contract with R. T. Lytle, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, dated 10.th May 1838, I have surveyed fractional Township N.^o 28 North, Range N. 4 East of the 2.^d Principal Meridian, in the State of Indiana, conformably to the Laws of the United States and the Instructions of said Surveyor General; And that the foregoing are the true and original field notes of said survey executed as aforesaid.

Certified this 10.th day of January 1839
 John F. Lewis }
 David Frazier } Examiners
 John C. Johnson, Marker

Dr. J. C. Vance, D. S.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 28
North, of Range N. 4 East of the 2^d Principal
Meridian in the State of Indiana, has been
compared with the original on file in this
office, and found to be correct.

Surveyor General's Office,
Cincinnati, January 8. 1845

William Johnston
Sur. Genl.

Received